

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/027,251	12/21/2001	Wen Lu	Wen Lu S-2000.1223		
	90 02/24/2004	EXAMINER			
Samuel M. Fre		PARSONS, THOMAS H			
3555 Stanford F	s of William W. Cochran Road	ART UNIT	PAPER NUMBER		
Suite 230 Fort Collins, Co	O 80525	1745			
7 Ott Commis, CO 80323			DATE MAILED: 02/24/2004		

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary			Application No.	Applicant(s)			
			10/027,251	LU ET AL.			
			Examiner	Art Unit			
			Thomas H Parsons	1745			
Period f	The MAILING DATE of this commu or Reply	ınication app	ears on the cover sheet with the o	correspondence address			
THE - External control	MAILING DATE OF THIS COMMUN ensions of time may be available under the provision of SIX (6) MONTHS from the mailing date of this come period for reply specified above is less than thirty of period for reply is specified above, the maximum of ure to reply within the set or extended period for repreply received by the Office later than three months are part of the p	NICATION.  ns of 37 CFR 1.13  nmunication.  (30) days, a reply  statutory period w  ly will, by statute.	i6(a). In no event, however, may a reply be tin within the statutory minimum of thirty (30) day ill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	mely filed  is will be considered timely.  the mailing date of this communication.			
1)⊠	Responsive to communication(s) fil	led on <i>22 Ja</i> .	nuary 2004.				
	This action is <b>FINAL</b> . 2b)⊠ This action is non-final.						
3)□	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposit	ion of Claims						
5) <u></u> 6)⊠	Claim(s) 1-48 is/are pending in the application.  4a) Of the above claim(s) is/are withdrawn from consideration.  Claim(s) is/are allowed.  Claim(s) 1-3,6-15,18-27,30-39 and 42-48 is/are rejected.  Claim(s) 4,5,16,17,28,29,40 and 41 is/are objected to.  Claim(s) are subject to restriction and/or election requirement.						
,—		ction and/or	election requirement.				
	on Papers						
10)⊠	The specification is objected to by the The drawing(s) filed on 21 December Applicant may not request that any object Replacement drawing sheet(s) including The oath or declaration is objected to	e <u>r 2001</u> is/are ection to the de g the correction	e: a)⊠ accepted or b)⊡ objecterawing(s) be held in abeyance. See on is required if the drawing(s) is object.	37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).			
	ınder 35 U.S.C. §§ 119 and 120						
a)L * S 13)⊠ A	Acknowledgment is made of a claim All b) Some * c) None of:  1. Certified copies of the priority 2. Certified copies of the priority 3. Copies of the certified copies application from the Internation the attached detailed Office action cknowledgment is made of a claim from the specific reference was included.	documents documents of the priorit onal Bureau ( on for a list of for domestic	have been received. have been received in Application y documents have been received (PCT Rule 17.2(a)). If the certified copies not received priority under 35 U.S.C. § 119(e)	on No d in this National Stage d. (to a provisional application)			
a)	CFR 1.78. ☐ The translation of the foreign lar	nguage provi	sional application has been rece	eived.			
re	cknowledgment is made of a claim for ference was included in the first sen	or domestic tence of the	priority under 35 U.S.C. §§ 120 a specification or in an Application	and/or 121 since a specific Data Sheet. 37 CFR 1.78.			
ttachment							
) 🔲 Notice	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (P aation Disclosure Statement(s) (PTO-1449) Pa	TO-948) aper No(s)	5) Notice of Informal Par	PTO-413) Paper No(s) tent Application (PTO-152)			
Patent and Tra	demark Office		•				

Art Unit: 1745

#### Response to Amendment

This is in response to the Amendment filed 22 January 2004.

#### **DETAILED ACTION**

### Specification

1. The objection to the disclosure because minor informalities has been **withdrawn** in view of Applicants' Amendment.

#### Claim Objections

- 2. The objection to claim 3 because of minor informalities has been withdrawn in view of Applicants' Amendment.
- 3. Claim 33 is objected to because of the following informalities:

Claim 33, line 1, suggest changing "claim 8" to --claim 25--.

Appropriate correction is required.

## Claim Rejections - 35 USC § 103

4. The rejection of claims 1-3, 8-15, 18, 21-22, 25-27, 32-39, 42, 45-46 under 35 U.S.C. 103(a) as being unpatentable over McEwen et al. (5,965,054), and further in view of Kobayashi et al. (4,740,436) has been **maintained** as set forth below.

Art Unit: 1745

Claim 1: McEwen et al. disclose a method for inducing a response in a long-lived electrochemical device which comprises the steps of: contacting a working electrode and a counter electrode with an ionic liquid having an anion and a cation; and applying a voltage between the working electrode and the counter electrode, whereby the response is induced in the long-lived electrochemical device (col. 1: 60-col. 3: 20; and col. 6: 7-16).

McEwen et al. do not disclose a conjugated polymer working electrode.

Kobayashi et al. disclose a conjugated positive electrode and a negative electrode composed of an alkali metal, an alkali metal alloy or an electroconductive polymer (a conjugated polymer).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have substituted the electrodes of McEwen et al. for the electrodes of Kobayashi et al. because Kobayashi et al. on col. 1: 65-col. 2: 2 and col. 10: 9-25 disclose electrodes that would have provided a high energy density, good reversibility between charging and discharging, a very low self discharging ratio thereby improving the overall performance of batteries.

Claim 2: Because the McEwen et al. combination discloses the same ionic liquid and conjugated polymer as instantly disclosed, the claimed ionic liquid would obviously be stable in the presence of water, and the claimed conjugated polymer would obvious be stable in the presence of the ionic liquid.

Claim 3: Because the McEwen et al. combination discloses the same ionic liquid as instantly disclosed, the claimed ionic liquid would obviously be stable for voltages applied

Art Unit: 1745

between the conjugated polymer electrode and the second electrode in the range from -3 V to +3  $\,$ V relative to a standard hydrogen electrode.

Claims 8 and 9: McEwen et al. disclose on col. 3: 4-6 that the anion comprises a small, weakly coordinating anion wherein the anion is selected from the group consisting of BF.sub.4.sup.-; and PF.sub.6.sup.-.

Claim 10: McEwen et al. disclose on col. 2: 17-65 that the cation is selected from the group consisting of pyridinium ions, pyridazinium ions, pyrimidinium ions, pyrazinium ions, imidazolium ions, pyrazolium ions, thiazolium ions, oxazolium ions, and triazolium ions.

Claim 11: The rejection is as set forth above in claim 1 wherein Kobayashi et al. further disclose that the conjugated polymer is selected from the group consisting of polyphenylene, polypyrrole, polyaniline, polythiophene, polyacetylene, and derivatives thereof (abs., and col. 7: 21-25).

Claim 12: The rejection is as set forth above in claim 1 wherein Kobayashi et al. further disclose that the conjugated polymer comprises a copolymer selected from the group consisting of phenylene, pyrrole, aniline, thiophene, acetylene, and derivatives thereof (col. 7: 21-25).

Claim 13: The rejection is as set forth above in claim 1 wherein Kobayashi et al. further disclose that the conjugated polymer comprises an oligomer selected from the group consisting of phenylene, pyrrole, aniline, thiophene, acetylene, and derivatives thereof (col. 7: 21-25).

Claims 14 and 15: McEwen et al. disclose on col. 3: 5-8 that the ionic liquid further comprises an organic cosolvent, and wherein the organic cosolvent is selected from the group consisting of cyclic ethers, esters, carbonates, lactones, nitrites, amides, sulfones, and sulfolanes.

Art Unit: 1745

Claim 18: The rejection is as set forth above in claim 1 wherein the McEwen et al. further disclose that the electrochemical device comprises a capacitor (col. 3: 18-26), the response comprises storing a charge on the capacitor, and Kobayashi et al disclose on col. 7: 21-25 that the counter electrode comprises a conjugated polymer electrode (electroconductive polymer).

Claims 21 and 22: The rejection is as set forth above in claim 1 wherein further McEwen et al. disclose that the device comprises a rechargeable battery (secondary batter), the response comprises storing and deriving electrical energy from the battery, and Kobayashi et al. disclose on col. 7: 11-21 that the working electrode comprises a metal electrode (Li) having a redox potential lower than the redox potential for the conjugated polymer electrode, and wherein said metal electrode comprises lithium.

Claim 25: McEwen et al. disclose a long-lived electrochemical device comprising a working electrode; a counter electrode; an ionic liquid having an anion and a cation in contact with both the working electrode and the counter electrode; and an electronic power supply for applying a voltage between the working electrode and the counter electrode, whereby the response is induced in the long-lived electrochemical device (col. 1: 60-col. 3: 20; and col. 6: 7-16).

McEwen et al. do not disclose a conjugated polymer working electrode.

Kobayashi et al. disclose a conjugated positive electrode and a negative electrode composed of an alkali metal, an alkali metal alloy or an electroconductive polymer (a conjugated polymer).

Art Unit: 1745

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have substituted the electrodes of McEwen et al. for the electrodes of Kobayashi et al. because Kobayashi et al. on col. 1: 65-col. 2: 2 and col. 10: 9-25 disclose electrodes that would have provided a high energy density, good reversibility between charging and discharging, a very low self discharging ratio thereby improving the overall performance of batteries.

Claim 26: The rejection of claim 26 is as set forth above in claim 2.

Claim 27: The rejection is as set forth above in claim 3.

Claim 32: The rejection is as set forth above in claim 8.

Claim 33: The rejection is as set forth above in claim 9.

Claim 34: The rejection is as set forth above in claim 10.

Claim 35: The rejection is as set forth above in claim 11.

Claim 36: The rejection is as set forth above in claim 12.

Claim 37: The rejection is as set forth above in claim 13.

Claim 38: The rejection is as set forth above in claim 14.

Claim 39: The rejection is as set forth above in claim 15.

Claim 42: The rejection is as set forth above in claim 18.

Claims 45 and 46: The rejection is as set forth above in claims 21 and 22.

## (NEW) Claim Rejections - 35 USC § 103

5. Claims 19, 20, 23, 24, 43, 44, 47, 48 are rejected under 35 U.S.C. 103(a) as being unpatentable over McEwen et al. (5,965,054), and further in view of Kobayashi et al. (4,740,436)

Art Unit: 1745

Claims 19 and 43: The rejection is as set forth above in claims 1 and 18 above wherein further Kobayashi et al. disclose that the conjugated polymer electrodes comprise porous conjugated polymer films having a conducting metal coating on the side thereof facing away from the ionic liquid (col. 10: 30 – col. 11: 46). Because the electrodes of Kobayashi et al. synthesized in the same manner as instantly discloses (i.e. electrochemically synthesized using the ionic liquid), it would have been obvious to one of ordinary skill in the art at the time the invention was made to have expected the Kobayashi et al. electrodes to be porous.

Claims 20 and 44: The rejection is as set forth above in claims 1 and 18 above wherein further Kobayashi et al. disclose that the conjugated polymer electrodes comprise conjugated polymer films electrochemically synthesized using the ionic liquid and having a conducting metal coating on the side thereof facing away from the ionic liquid (col. 10: 30 – col. 11: 46).

Claims 23 and 47: The rejection is as set forth above in claims 1 and 21 above wherein further Kobayashi et al. disclose that the conjugated polymer electrode comprises a porous conjugated polymer film having a conducting metal coating on the side thereof facing away from the ionic liquid (col. 10: 30 – col. 11: 46). Because the electrodes of Kobayashi et al. synthesized in the same manner as instantly discloses (i.e. electrochemically synthesized using the ionic liquid), it would have been obvious to one of ordinary skill in the art at the time the invention was made to have expected the Kobayashi et al. electrodes to be porous.

Claims 24 and 48: The rejection is as set forth above in claims 1 and 21 above wherein further Kobayashi et al. disclose the conjugated polymer electrode comprises a porous conjugated polymer film electrochemically synthesized using the ionic liquid and having a

Art Unit: 1745

conducting metal coating on the side thereof facing away from the ionic liquid (col. 10: 30 - col. 11: 46).

Because the electrodes of Kobayashi et al. synthesized in the same manner as instantly discloses (i.e. electrochemically synthesized using the ionic liquid), it would have been obvious to one of ordinary skill in the art at the time the invention was made to have expected the Kobayashi et al. electrodes to be porous.

6. The rejection of claims 6, 7, 30 and 31 under 35 U.S.C. 103(a) as being unpatentable over McEwen et al., and further in view of Kobayashi et al. as applied to claims 1 and 25 above, and further in view of Koch et al. has been **maintained** as set forth below.

McEwen et al. and Kobayashi et al. are as applied, argued, and disclosed above and incorporated herein.

The McEwen et al. combination doe not disclose that the anion comprises a weakly coordinating anion, and wherein the anion is selected from the group consisting of F.sup.-; Br.sup.-; I.sup.-; NO.sub.3.sup.-; N(CN).sub.2.sup.-; RSO.sub.3.sup.- where R is an alkyl group, substituted alkyl group, or phenyl group; (CF.sub.3).sub.2PF.sub.4.sup.-, (CF.sub.3).sub.3PF.sub.3.sup.-, (CF.sub.3).sub.4PF.sub.2.sup.-, (CF.sub.3).sub.5PF.sup.-, (CF.sub.3).sub.6P.sup.-, (CF.sub.2SO.sub.3.sup.-).sub.2, (CF.sub.2CF.sub.2SO.sub.3.sup.-).sub.2, (CF.sub.3SO.sub.2).sub.2N.sup.-, CF.sub.3CF.sub.2(CF.sub.3).sub.2CO.sup.--, (CF.sub.3SO.sub.2).sub.2CH.sup.-, (SF.sub.5).sub.3C.sup.-, (CF.sub.3SO.sub.2).sub.3C.sup.-, [O(CF.sub.3).sub.2C.sub.2(CF.sub.3).sub.2C.sub.2).sub.3C.sup.-, and CF.sub.3(CF.sub.2).sub.7SO.sub.3.sup.-.

Art Unit: 1745

Koch et al. discloses on col. 3: 50-54 that the anion comprises a weakly coordinating anion, and wherein the anion is selected from the group consisting of (CF.sub.3).sub.2PF.sub.4.sup.-, (CF.sub.3).sub.3PF.sub.3.sup.-, (CF.sub.3).sub.4PF.sub.2.sup.-, (CF.sub.3).sub.5PF.sup.-, (CF.sub.3).sub.6P.sup.-, (CF.sub.2SO.sub.3.sup.-).sub.2, CF.sub.3CF.sub.2(CF.sub.3).sub.2CO.sup.-, (CF.sub.3SO.sub.2).sub.2CH.sup.-, (SF.sub.5).sub.3C.sup.-, and [O(CF.sub.3).sub.2C.sub.2(CF.sub.3).sub.- 2O].sub.2PO.sup.-.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified the ionic liquid of the McEwen et al. combination by incorporating the anions of Koch et el. because Koch et al. on col. 2:5-8 teach anions that would have provided an ionic liquid with high thermochemical and electrochemical stability thereby improving the overall lifetime and performance of the device.

### Response to Arguments

7. The Applicants argue that there is no mention in McEwen et al. of the use of alkali metal salts which are required in accordance with the teachings of Kobayashi et al. And, since the invention of Kobayashi et al. would not operate using the non aqueous electrolyte of McEwen et al., applicants respectively believe that the Examiner has incorrectly combined the teachings of McEwen et al. with Kobayashi et al.

In response, McEwen et al. on col. 3: 20-26 disclose that the nonaqueous electrolytes of the invention are useful in electrical energy storage devices, particularly electrochemical capacitors. These electrolytes can also be used in potentiometric and voltametric electrochemical sensors, photovoltaic devices, fuel cells, and in primary and secondary

Art Unit: 1745

batteries employing alkali and alkaline earth anode materials so long as the electrolyte contains the cation of the alkali or alkaline earth anode material. Further, the electrolytes of the invention will find use as media for catalysis or ctrocatalysis [sic].

Kobayashi et al. disclose a secondary battery comprising a nonaqueous electrolyte in contact with conjugated positive electrode and a negative electrode wherein the negative (anode) electrode is composed of (i) an alkali metal such as Li, Na or K cations, (ii) an alkali metal alloy, (iii) an electroconductive polymer (conjugated polymer), or (iv) an alkali metal or alkali metal alloy/electroconductive polymer composite, and the electrolytic solution of the secondary battery comprises an alkali metal salt such as Li, Na, and K (abs.; col. 2: 3-12 and 27-68; and col. 7: 6 – col. 8: 10).

Therefore, it would have been obvious to one of ordinary skill in the art a the time the invention was made to have combined the teachings of McEwen et al. with the teachings of Kobayashi et al. because both are concerned with secondary batteries employing alkali and alkaline earth anode materials and an electrolyte containing the cation of the alkali or alkaline earth anode material.

### Allowable Subject Matter

8. Claims 4, 5, 16, 17, 28, 29, 40, and 41 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Art Unit: 1745

### Reasons for Indicating Allowable Subject Matter

9. The following is a statement of reasons for the indication of allowable subject matter:

McEwen et al. are directed toward mixtures of a single ionic liquid dissolved in organic solvent(s) wherein the organic solvents are evaluated for their ability to improve specific characteristics (solubility, conductivity, thermal stability) of the electrolyte.

In contrast, the claimed invention is directed toward mixtures of ionic liquid with or without solvent which is neither taught nor suggest in McEwen et al.

Therefore, a search of the prior art of record failed to reveal or explicitly teach alone of in combination what is instantly claimed: in particular,

A method of inducing a response in a long-lived electrochemical device wherein the ionic liquid comprises a mixture of ionic liquids (claim 4);

the ionic liquid comprises at least one ionic solid dissolved in a nonaqueous solvent where the resulting solution being mixed with another ionic liquid (claim 5);

A long-lived electrochemical device wherein

the ionic liquid comprises a mixture of ionic liquids (claim 28);

the ionic liquid comprises at least one ionic solid dissolved in a nonaqueous solvent where the resulting solution being mixed with another ionic liquid (claim 29).

For this reason, and for reasons as stated above, claims 4, 5 28 and 29 are patentably distinct from the prior art of record.

Art Unit: 1745

The electrochemical cell of the McEwen et al. combination comprises a conjugated polymer working electrode and a counter electrode in contact with an ionic liquid wherein the response comprises a change in the charging and discharging capacity of the device.

In contrast, the claimed electrochemical cell comprises an actuator wherein the response comprises a change in the actuator which is neither taught nor suggest by the prior art combination.

Therefore, a search of the prior art of record failed to reveal or explicitly teach alone of in combination what is instantly claimed: in particular,

the electrochemical device comprises an actuator, the response comprises a change in stress and strain of the actuator, and the counter electrode comprises a metal electrode (claim 16), and the counter electrode comprises a conjugated polymer electrode (claim 17);

the electrochemical device comprises an actuator, the response comprises a change in stress and strain of the actuator, and the counter electrode comprises a metal electrode (claim 40), and the counter electrode comprises a conjugated polymer electrode (claim 41).

For this reason, and for reasons as stated above, claims 16 and claim 17 which is dependent thereon, claim 40 and claim 41, which is dependent thereon are patentably distinct from the prior art of record.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thomas H Parsons whose telephone number is (571) 272-1290. The examiner can normally be reached on M-F (7:00-4:30) First Friday Off.

Art Unit: 1745

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Pat Ryan can be reached on (571) 272-1292. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Thomas H Parsons Examiner Art Unit 1745

\*\*\*

Patrick Ryan
Supervisory Petent Examiner
Technology Confort 1700